19 43-44-46 **File No** 6640/36

A CLASS **PUBLIC WORKS DEPARTMENT**

E **BRANCH**

Subject :— Territorial Changes
Southern Circle
Re-opening of the Dharwar
Irrigation Division and
formation of the Irrigation
Works - Sub-division at
Gadag

E

File No. 6640/36

Std. Sectt. Slip 24-B

G.R., G. D., No. 2108, dated 23-6-23.]

Std. Sectt. 78 e.

DOCKET SHEET

Subject:—

File No. 6640/36

P.W. DEPT.

E BRANCH.

References:—

Date.	To whom sent.	Notes and instructions.

Statement showing the eventually yearly extra cost involved by the proposed re-opening of the Dharwar Irrigation Division.

S. No.	Establishment required.	Scale of pay	Average pay per month.	How met.	Net cost per year.	Remarks.
1	One Executive Engineer.	Bombay Service of Engineers, Class I.	?	No new appointment is necessary as the Personal Assistant of the Executive Engineer, Dharwar Division has already been sanctioned. The Personal Assistant or any other officer of his rank may be appointed as Executive Engineer.		Extra establishment that may probably be required by the Executive Engineer, Dharwar Division for carrying out the new Minor Irrigation works costing on an average about Rs. 3,50,000/- a year for three years if no executive charge is opened. One clerk in the grade of Rs.70-5-95. 1,068 One clerk in the grade of Rs.25-5/-2-65. 480 One Assistant Storekeeper. 480 One Daftary. 240 One Draftsman or Overseer. 1,380 One Tracer. 360 Rs. 3,808
2	One Accountant.	80-8-200-25/2-225	The second Accountant sanctioned for Dharwar Division will be the Divisional Accountant for the new office.			
3	One Head clerk.	115-5-160	146	New appointment	1,752	
4	One Senior accounts clerk.	95-5-115	No new appointment is necessary as there is the second Senior Accounts clerk who will be transferred to the new office.			
5	Two clerks in the grade of	70-5-95	89	To be newly appointed.	2,136	
6	Four clerks.	25-5/2-65	No new appointments are necessary as three Temporary clerks sanctioned for the Divisional office, Dharwar and one permanent clerk from that office will be transferred to the new Division.			

7	One Storekeeper. Conveyance allowance @ F.4/-	40-4-80	67	New.	804 48	
8	One Draftsman.	90-5/2-140	115	-do-	1,380	
9	One Assistant Draftsman	50-5/2-90	73	-do-	876	
10	One Tracer.		30		360	
11	One Daftary.		20		240	
12	Inferior Servants five including one Naik @ Rs.17/- and others @ Rs.14/- a month.		73		876	The number is exclusive of the two peons newly sanctioned for the Divisional office, Dharwar, who will be transferred to the new office.
13	Permanent Travelling allowance of the Executive Engineer @ F.75/-.		75		900	
14	Ordinary Travelling allowance for office Establishment.				500	
					9,872	
	Deduct cost of extra ~~cost~~ estabt that will be required for the Divisional office, Dharwar, in case new executive charge is not opened.				3,808	
					6,064	or say Rs. 6,000/-.

P. C. Leeming. 6.10.43.

Superintending Engineer, S.C.

L E T T E R.

From

L. E. Greening, Esquire, I.S.E.,
Superintending Engineer.S.C.

To

The Secretary to Government,
Public Works Department,
B O M B A Y.

VERY URGENT.

No.G-108.
Public Works Department,
Belgaum, 6th October 1943.

Subject:-Reopening of the Dharwar Irrigation Division.

Reference: Correspondence ending with this office letter No.M.I.1/1, dated the 29th September 1943.

2. As will be seen from the two lists accompanying this office letter under reference there are, in the Dharwar District two new Minor Irrigation Works under Class I costing Rs. 81,465/- and 4 works under Class II costing Rs. 7,12,689/- which are to be completed in the course of the next two or three years.

3. Two of these works (i) at S.No.10 of the list under Class I costing Rs. 58,000/- and (ii) at S.No.2 of the list under Class II costing Rs. 1,23,589/- are situated in the Dharwar Taluka i.e. within the jurisdiction of the present Dharwar Sub-Division, while one work costing Rs. 23,465/- under Class I and 3 works costing Rs. 5,89,102/- are in the Gadag Taluka i.e. within the jurisdiction of the Hubli (Roads and Buildings) Sub-Division in the Dharwar Division.

4. The two Sub-Divisions having been enlarged during recent years, are in themselves very heavy and it will not be possible for the Sub-Divisional Officers of the respective Sub-Divisions to undertake these large works such as to complete them within one or two years as required.

5. With a view, therefore, to the speedy execution of these works which is the object mainly aimed at, it is essential that the six works mentioned in the above lists situated in the Dharwar and Gadag Talukas costing in all Rs. 7,94,154/- should be entrusted for execution to an entirely new Sub-Division which it is necessary to open at Gadag where there is the office building of the defunct Gadag Sub-Division. This new Sub-Division will be called the "Gadag Irrigation Works Sub-Division" and the following establishment at an annual extra cost of Rs. 10,670/- will be required for that Sub-Division.

(i)	Sub-Divisional Officer	1	Pay Rs. 265/- a month.
(ii)	Overseers Pay Rs. 70/-each	3	" " 210/- "
(iii)	Clerks 3 Pay Rs.40/- each	3	" " 120/- "
(iv)	Peons 3 " " 13/- "	3	" " 39/- "
(v)	P.T.A. for Sub-Divisional Officer		Rs. 75/- "
(vi)	Ordinary T.A. for three Overseers and office establishment		" 140/- "
(vii)	Contingencies		" 40 "

Rs.889 x 12 = Rs.10,668/-
a year or say
Rs. 10,670/-

6. In this connection it is brought to notice that since 1939, when, in order to cope with the increased activities in connection with the repairs to Minor Irrigation tanks, the annual repair grant to such tanks in the Dharwar District has been raised from Rs. 35,000/- to Rs. 80,000/- or so and a new Sub-Division called the Hubli Irrigation Sub-Division has been opened from the 20th November 1939 as sanctioned in G.R.(P.W.D) No.3917/36, dated the 1st November 1939, the charge of the Dharwar Division with the five Sub-Divisions including the Hubli Irrigation Sub-Division has become very heavy. Thereafter in the year 1941 when the programme of Village Water Supply works estimated to cost Rs. 4,95,200/- was started, one more Sub-Division called the "Ranebennur Village Water Supply Sub-Division" was opened with effect from the 1st April 1941 in the Dharwar Division bringing the total number of Sub-Divisions there-to six.

— S&S A file 3917/36 pp. 41-42

7. At the time when this sixth Sub-Division was opened, the Executive Engineer had represented that the charge of the Dharwar Division as then constituted has been rendered exceptionally heavy and unwieldy, and that the situation had reached a culminating point in that it was necessary to open a new Division which was however not then proposed mainly on financial grounds. But at the same time, in order to relieve the Executive Engineer and his staff of the undue strain of the progressively increasing office work, which they were required to do, extra staff as detailed below was sanctioned and has been continued upto the end of February 1944:-

(a)Personal Assistant	1	
(b)Additional Accountant	1	
(c)Additional Senior Accounts clerk in the grade of Rs. 95-5-115.	1	
(d)Clerks in the grade of Rs. 25-5/2-65	3	Including the two sanctioned in connection with the opening of the Hubli Irrigation Sub-Division.
(e)Peons	2	

8. Out of the programme of Village Water Supply Works in the Dharwar Division, estimated to cost Rs. 4,95,200/- the Executive Engineer has been able to spend Rs. 1,26,065/- upto the end of 1942-43 when the Ranebennur Village Water Supply Sub-Division was temporarily closed due to the famine conditions in the Bijapur District and on reopening of that Sub-Division on the cessation of famine as approved of by Government, the Executive Engineer expects to spend Rs. 35,000/- during the current year and Rs.75,000/- during 1944-45. At this rate of progress the Village Water Supply Sub-Division in the Dharwar Division will have to be continued not only during 1944-45 but for at least two years more thereafter. There is also no prospect of the irrigation activities with regard to repairs to the existing tank and bandharas being reduced in the near future but in view of para 2 of Government (R.D.)endorsement below their letter No.7133-A/39, dated the 8th May 1943 the Executive Engineer will be called upon to concentrate his attention on carrying out the necessary repairs to the existing bandharas and tanks in order to ensure increased food production. During 1944-45, the Executive Engineer has made provision of Rs. 1,00,000/- for repairs to tanks as against the present average yearly allotment of Rs. 80,000/-.

— In 9.13 will be found [illegible]

9. When, as stated above, the present Dharwar Division with its six Sub-Divisions has become exceptionally a heavy charge for

one Executive Engineer to cope with, it will almost be physically impossible for the charge to be managed by him even with extra additional establishment for his office, if he is called upon to undertake the execution of the new Minor Irrigation Works in question.

10. If greater efficiency and speedy execution of these works is to be ensured as aimed at by Government, then it is imperative that the present charge of the Dharwar Division should be split up and I think that the best solution, therefore, is to re-open the defunct Dharwar Irrigation Division which was closed in the year 1930 as a trial owing to the then necessity for retrenchment above all considerations vide Government Memorandum No.3460/27-E, dated the 19th May 1930.

Sh.B file 3460/27 H-51-53

11. As regards the extra cost involved in reopening the Division a statement showing the establishment required for the new Division with the staff that can be made available from the Divisional office, Dharwar, is enclosed herewith. As shown therein the extra annual cost involved in employing additional establishment exclusive of the extra establishment already sanctioned for that office to be transferred to the new office is Rs. 9,872/- but if the additional establishment still required to be sanctioned in connection with the execution of the new Minor Irrigation Works is taken into consideration, the net extra annual cost comes to Rs. 6,000/-, which, it is submitted, is not a large amount when it is considered that the reopening of the Dharwar Irrigation Division will lead to greater efficiency and speedier execution of the new Minor Irrigation Works which are to be completed within the shortest time possible. With this object in view, instructions have been issued to the Executive Engineers in this Circle, that in respect of the works referred to in the two lists forwarded with this office letter No.M.I.1, dated the 29th September 1943, all preliminaries should be settled and tenders called for in order that the works may be started in November 1943.

Will be instituted

12. It is recommended that the head quarters of the revived Dharwar Irrigation Division should be at Dharwar where there is the building of the defunct office available and the present Dharwar Division to be called the Dharwar (Roads and Buildings) Division should comprise the existing four Sub-Divisions viz.

(1)Dharwar (Roads and Buildings) Sub-Division at Dharwar
(2)Hubli (Roads and Buildings) Sub-Division at Hubli
(3)Haveri (Roads and Buildings) Sub-Division at Haveri
(4)Ranebennur Village Water Supply Sub-Division at Ranebennur

The Dharwar Irrigation Division will comprise the following four Sub-Divisions viz.

(1)Hubli Irrigation Sub-Division at Hubli.
(2)Haveri Irrigation Sub-Division at Haveri.
(3)Gadag Irrigation Works Sub-Division at Gadag to be newly opened

and

(4)Haliyal Village Water Supply Sub-Division at Haliyal to be newly opened as proposed in this office No.G-19, dated the 25th September 1942 report regarding the opening of which will be submitted on cessation of the famine in the Bijapur District.

Will be instituted

13. According to the existing arrangement the Haliyal

Village Water Supply Sub-Division is to be under the Executive Engineer, Kanara Division, but since the works are all situated in the Dharwar, Haliyal and Khanapur Talukas, the new Executive Engineer at Dharwar is in a better position to inspect them and so the Sub-Division is proposed to be under the control of the proposed Dharwar Irrigation Division.

14. In the circumstances, I would urge that Government may, in your concurrence, be moved to accord sanction to -

(i) the opening of a Sub-Division called the "Irrigation Works Sub-Division at Gadag" with the staff as proposed in para 5 above

(ii) the reopening of the "Dharwar Irrigation Division" with head-quarters at Dharwar together with the additional staff as shown in the accompanying statement PS-1-2

and

(iii) the proposed distribution of the Sub-Divisions as shown in para 12 above

for a period of three years at least in the first instance with effect from the 1st December 1943.

Accompts:-
1 Statement.

V.M.T.

W. C. Greenhill. 6.10.43.

Superintending Engineer, S.C.

58541/36 9.
27547

-2-

EB 11/10

Statement

PUBLIC WORKS DEPARTMENT
File No. 6640/36
-9. OCT. 1943
Serial No. 28294

Original

6640/36/28294

P.W.Deptt.

(E.B.)

The S.E.,S.C.has proposed -

(a). the opening of a new Sub-dn.called the Gadag Irrign.Works Sub-dn.with head qrs.at Gadag
and
(b) the re-opening of the Dharwar Irrign.Dn.with head qrs.at Dharwar.

for a period of three years in the first instance with effect from the 1-12-43.

2. Six new minor irrign.works costing Rs 7.94 lakhs are to be carried out in the Dharwar Dist. in the next 2 or 3 years. Two of these works costing Rs 1,82 lakhs are situated in the Dharwar Sub-dn. (Dharwar Taluka), while the remaining four works costing Rs 6.13 lakhs are situated in the Hubli (Roads and Bldgs!) Sub-dn.(Gadag Taluka). The S.E.says that the two Sub-dns.are already very heavy and has therefore proposed the opening of a new Sub-dn.for the speedy execution of the 6 works. The S.E.has not given the total expenditure on works and repairs incurred in the two Sub-dns.duringthe last three years,so that it could be seen whether a new sub-dn.is necy. for the execution of the six minor irrign.works costing Rs 7,94 lakhs in the next 2 or 3 years.

3. The estabt.proposed for the new Sub-dn.is:-

Sub-dnl.Officer.
3 Overseers.
3 Clerks.
3 Peons (who are presumably 1 peon, 1 tapali and 1 chowkidar).

The proposed strength of the estabt.does not seem to call for any remarks and if the proposal to open the Sub-dn.is to be favourably considere the estabt.may be sanctioned on the prescribed pay-scales instead of the fixed rates of pay proposed by the S.E. The average cost of the Sub-dn. would be Rs 1,020 per month or Rs 12,240 per year as shown below:-

Posts.	Pay scale.	Av: cost Rs
Sub-dnl.Officer.	B.S.E,Class II scale.	310
3 Overseers.	B.S.E.S.scale Rs 50-4-130-5-150.	294
3 Clerks.	Two clerks on Rs 25-5/3-75 and one clerk on Rs 25-5/4-55.	122
3 Inferior servants.	Rs 13 p.m.each.	39
P.T.A.for S.D.O.		75
T.A.for Overseers and estabt.		140
Contingencies.		40
		1,020

4.In Nov.1930, the Dharwar Irrign.Dn.was abolished as a trial in view of the pressing need for retrenchment, though the abolition was viewed with misgivings by this Deptt.as leading to decreased efficiency; vide para.3 of G.M.No. 3460/27-E,dated the 19-5-30. The following table shows the total annual expenditure on works and repairs in the Dharwar Dn since after the abolition of the Dharwar Irrign.Dn:-

S46 B
file 3460/27 X
pp 51-53

6640/36.

Year	Rs	Year	Rs	Year	Rs	Years	Rs
1931-32	4.18	1934-35	4.17	1937-38	5.75	1940-41	4.29
1932-33	3.81	1935-36	5.26	1938-39	5.92	1941-42	6.76
1933-34	4.45	1936-37	4.88	1939-40	4.57	1942-43	6.22
						1943-44	6.75 (estimated)

Though judging from the above figures, it may be said that the expenditure in Dharwar Dn. is not heavy, the S.E. has explained at great length in his letter under disposal the necessity to reopen the D'war Irrign.Dn. which, as stated in Mr.Andrew's report dated the 23-12-22, is reqd. for efficient irrign.management and maintenance of numerous irrign.works.

Sub B file 3460/27 X Rs.23-25

5. The Dharwar Dn.comprises 6 Sub-dns.as under:-

Dharwar Sub-dn.
Hubli (Roads and Bldgs.) Sub-dn.
Hubli (Irrign.) Sub-dn.
Haveri (Roads and Bldgs.) Sub-dn.
Ranebennur V.W.S.Sub-dn.
Haveri (Irrgn.) Sub-dn.

The S.E. has separately proposed the opening of the Haliyal V.W.S.Sub-dn. and the F.D. has asked the proposal being treated as a new item of expenditure for the next years budget. With the addition of the Gadag Irrign.Works Sub-dn. and the Haliyal V.W.S.Sub-dn. to be opened, there will be eight sub-dns. which the S.E. proposes to distribute as follows:- Since dropped

Dharwar Divn.	Dharwar Irrign.Dn.
Dharwar Sub-dn.	Hubli Irrign.Sub-dn.
Hubli (R.&.B.) Sub-dn.	Haveri " " "
Haveri (-do-) -do-	Gadag " Works Sub-dn.
Ranebennur V.W.S.Sub-dn.	Haliyal V.W.S.Sub-dn.

6. As the Dharwar Dn. is a heavy charge, addnl. tempy. estabt. has already been sanctioned for it as follows:-

Personal Asstt.to the Ex.Engr
Addnl.Accountant.
Addnl.Senior Accounts clerk in the grade of Rs 95-5-115.
3 Clerks in the grade of Rs 25-5/2-65.
2 Peons.

The above estabt. will be available for the D'war Irrign.Dn. and the addnl.estabt. that will be required for it will be:-

Posts.	Scales. Rs	Av: cost. Rs
Ex.Engr.	B.S.E.Class I scale.	625
Head clerk.	115-5-160	146
2 Clerks.	70-5-95	174
Store-keeper.	~~90-5/2-140~~ 40-4-80	67+ 4(Conveyance allowance).
Draftsman.	90-5/2-140	114
Asstt.D'man.	50-5/2-90	73
Tracer.	25-2-55-3-70	48
Daftary.	20	20
5 Infr.Servants.		73
P.T.A.for Ex.Engr		75
T.A.for estabt.		500 per year.

Total 1344

6640/3

The genl.rate of p.t.a. for Ex.Engrs. is Rs 150 and for sub-dnl.officers it is Rs 75. In this case a p.t.a. of Rs 75 has been shown for the Ex.Engr. which appears to be a mistake and no provision has been made for contingencies. Otherwise, the proposed strength of estabt. does not seem to call for any comments. Against the above cost, there will be a saving of Rs 310 p.m. on account of the abolition of the present post of Personal Asstt. to the Ex.Engr., Dharwar Dn. as a result of the reopening of the Dharwar Irrign.Dn. Taking into account a p.t.a. of Rs 150 for the Ex.Engr., a contingent grant of Rs 3,000 for the new Dn. and the saving mentioned above, the total cost of the Dharwar Irrign.Dn. would be Rs 17,700 per annum

7. If the Dharwar Irrign.Dn. is not reopened, the S.E. has shown in the last column at p. 1 ante the following addnl.estabt. that may probably be required by the Ex.Engr., Dharwar Dn. in his office for carrying out the new minor irrign. works:-

Post.	Pay (as shown by the S.E.) Rs
Clerk.	70-5-95
Clerk.	25-5/2-65
Asstt.store-keeper.	40
Daftary	20
Draftsman or Overseer	115
Tracer.	30

8. A plan illustrating the proposals has not been sent and the proposals have not been submitted through the Comm..S.D. It is for consideration whether the proposals may be refd. back to the S.E. for resubmission thro. the Commr. with the information 'A' above and a plan illustrating the proposals. He may also be asked about the p.t.a. for the Ex.Engr. and the provision for contingencies.

I agree & file p.7

BKR
4/11

Thro. S.D.

5-11-43

D.S.

Sec

9. The S.E. S.C. proposed, in consultation with the Commr. S.D., the following six emergency irrign. works under his letter No M.I.1/1, dt 29-9-43, for the Dharwar Dn.

	Name of work	Estimated cost Rs
(1)	Tank at Arwati (T. Dharwar)	58,000
(2)	Do at Hasageri (T. Gadag)	23,465
(3)	Do at Benachi (T. Dharwar)	1,23,587
(4)	Do at Shirol (T. Gadag)	165,009
(5)	Do at Shiruv (T. Gadag)	172,776
(6)	Do at Alur (T. Gadag)	251,326
	Total.	7,94,154

A | The works at serial Nos 2, 5 & 6 are, however, to be omitted from the list of Emergency Irrign.

Irrign works as suggested by the R.D and approved by the F.D. on the main file (5854/36) which is under submission to A(R).

SWJ
9-11-43.

S.E.F.C. may be requested to comply with para 8 of the O.N. on the last page & he may be informed as at "A" on the last page.

2/ The plans to be submitted by the S.E. should show the old Dharwar D'war Dr, present Dharwar Dr & Irr. Dsns, the proposed Dharwar Irr & Dharwar Dns. certain areas of the old D'war Irr Dr have been given over to Belgaum Dr.

14/11/43

GD
14/11/43

11
15/11

Letter

No.6640/36-E. P.W.Deptt.
B.C., 22nd Novr. 1943.

To

The S.E.,S.C.

Subject:-Reopening of Dharwar Irrign.Dn.

H.3-6 Ref: Your letter No.G.108,dated the 6-10-43

2. Out of the six emergency irrigation works suggested in your letter No.M.I.1/1,dated the 29-9-1943 it is proposed to omit the following works:-

Name of work.	Estimated cost Rs
Tank at Harogeri in Gadag Taluka.	23,465
Tank at Shirur in Gadag Taluka.	1,72,776
Tank at Alur in " "	2,51,326

3. A plan illustrating the proposals made in your letter under reference should be submitted. It should show (a) the old Dharwar Dn. and Dharwar Irrign.Dn.as they existed before the Dharwar Irrign.Dn.was abolished in 1930 (b) the present Dharwar Dn and (c) the new Dharwar Dn.and Dharwar Irrign.Dn. as a result of the proposed reopening of the Dharwar Irrign.Dn.

4. The total annual expenditure on works and repairs incurred during the last three years in the Dharwar Sub-dn. and Hubli (Roads and Bldgs) Sub-dn. where the proposed emergency irrign. works are situated should be reported.

5. The general rate of p.t.a.for Ex.Engrs. is Rs 150, while a p.t.a of Rs 75 p.m.has been shown by you for the Ex.Engr.,D'war Irrign.Dn proposed to be reopened. No provision has been made for contingencies (in the case of the D'war Irrign.Dn.) and dearness allowance to the estabt. in the cost of the proposals. Please report on these points.

6. The proposals may be reconsidered in the light of the above remarks and submitted through

through the Commr.,S.D. D.A.-Nil.

By order of the Govr. of Bombay,

Copy to the Commr.,S.D.

Thro.I.B.

ISSUED
On 23/4/43

BKR
19/11

19-11-43

SM 19/11/43

D/S

E.B.

Expedited under G.M., No. 6640/36-E,
dated the 19th December 1943.

28/12/43

28/12/43

ISSUED
On 29/12/1943

L E T T E R. 13

From

L. E. Greening, Esquire, I.S.E.,
Superintending Engineer, S.C.

To

The Secretary to Government,
Public Works Department,
B O M B A Y.

No.G-108. Public Works Department,
C.V. Belgaum, 8th January 1944.

Subject:-Reopening of Dharwar Irrigation Dn.

Reference: Government Expeditor No.6640/36-E, dated the 29th December 1943.

2. The information called for/from the Executive is awaited

Engineer, Dharwar Division, who has been expedited in the matter.

3. On its receipt, the Government reference will be disposed of.

(E.B.) P.W.D. L. A. Greening 8.1.44.

V.M.T. Superintending Engineer, S.C. EB 12/1

25-1-44. Await 26/1/44.

PUBLIC WORKS DEPARTMENT
File No. 6640/36
11. JAN. 1944.
Serial No. 929

15

Ask SLSC for immediate submission of the appreciation called for which is awaited in connection with the report. Should submit to Govt.

PMM
2/2/44

E.B

As directed by the Addl Secy., the draft telegram is put up for approval.

1.16

Sd/- Illegible.

Sd/- Illegible.

*AS

6640/36

State Telegram Ordinary.

From : Bombay, Bombay

To : Superintending Engineer, Belgaum

Reference S. L. 6640/36-E (dated) 22nd November 1943. Submit information immediately regarding reopening Dharwar Irrigation.

Jones 2/12/44

No. 6640/36-E

P.W.D., Bc., 2nd Febry. 1944.

Copy, by post, for information.

Jones 2/12/44

Ex. [illegible]

[illegible]

AS

Telegram dated the 3rd February 1944.

ORDINARY:
From:-
The Superintending Engineer, Southern Circle, Belgaum.

STATE:
To:- The Collector of Dharwar.

" Kindly transmit immediately Executive Engineer Dharwar's letter G-108 fifteenth January regarding reopening Dharwar Irrigation Division as Government have wired for its submission

Superintending Engineer."

No.G-108.

Public Works Department,
Belgaum, 3rd February 1944.

Copy in confirmation.

3/2/44

Copies
Superintending Engineer, S.C.

Copies forwarded, with compliments, to the Secretary to Government, Public Works Department, Bombay, for information, with reference to Government Telegram dated the 2nd February 1944.

2. On receipt, of the necessary report will be submitted to Government through the Commissioner, Southern Division.

(E.B.) Await P.W.D.

11-2-44

11/Mar Sit.S

PUBLIC WORKS DEPARTMENT
File No. 66407/6
-4. FEB. 1944
Serial No. 3415

E.B. 4/2

F.P.

Statement showing the annual expenditure on works and repairs incurred during 1940-41 to 1942-43 in Dharwar and Hubli B and P Sub-Divisions of Dharwar Division.

S. No.	Name of Sub-Division.	Expenditure during the year.			Remarks.
		1940-41	1941-42	1942-43.	
1	Dharwar	1,09,000	1,22,500	1,45,000	These are approximate figures worked out from the Progress Reports of respective Sub-Division
2	Hubli B & P	1,35,000	1,93,500	2,11,600	

Sd: K. D. Kotwal.

Executive Engineer, D.Dn.

Wrd.

2. A copy of this office letter No.G-108, dated the 6th October 1943 previously addressed to Government in the matter is attached hereto for information.

****

Advance copy submitted to Government with reference to Government telegram dated the 2nd February 1944.

****

26

Express letter

No. 6640/36E

16th Feb. 1944

To

The Comr., S. D.

Please expedite the transmission with your remarks of the S. E. S. C.'s letter No. fp-23 G108 dated the 10-2-44 re. the reopening of the Dharwar Irrgn. Tn.

16-2-44

EB 12/2

ISSUED 16/2/44

PUBLIC WORKS DEPARTMENT
File No. 6640/36
11. FEB. 1944
Dated No. 4217

S.A.S.

16/2/44.

EB

11-2-44

Statement showing the eventually yearly extra cost involved by the proposed re-opening of the Dharwar Irrigation Division.

S. No.	Establishment required	Scale of pay	Average pay per month	How met	Net cost per year	Remarks.
1	One Executive Engineer	Bombay Service of Engineers Class I.		No new appointment is necessary as the Personal Assistant of the Executive Engineer, Dharwar Dn has already been sanctioned. The Personal Assistant or any other officer of his rank may be appointed as Executive Engineer.	-	Extra establishment that may probably be required by the Executive Engineer, Dharwar Dn for carrying out the new Minor Irrigation works costing on an average about Rs.3,50,000/- a year for three years if no executive charge is opened.
2	One Accountant	Rs.80-8-200-25/2-225	The second Accountant sanctioned for Dharwar Division will be the Divisional Accountant for the new office.		-	One clerk in the grade of Rs.70-5-95 Rs. 1,068 One clerk in the grade of Rs.25-5/2-65 Rs. 480 One Assistant Storekeeper " 480 One Daftary " 240 One Draftsman or Overseer " 1,380 One Tracer. " 360 Rs. 3,808
3	One Head clerk	" 115-5-160	146	New appointment	1,752	
4	One Senior Accounts clerk	" 95-5-115	No new appointment is necessary as there is the second Senior Accounts clerk who will be transferred to the new office.		-	
5	Two clerks in the grade of	" 70-5-95	89	To be newly appointed	2,136	
6	Four clerks	" 25-5/2-65	No new appointments are necessary as three temporary clerks sanctioned for the Divisional office, Dharwar & one permanent clerk from that office will be transferred to the new Dn		-	
					C.O.3,888	

					B.O. Rs.3,888	
7	One Storekeeper	40-4-80	67	New	" 804	
8	One Draftsman	90-5/2-140	115	-Do-	" 1,380	
9	One Assistant Draftsman	50-5/2-90	73	-Do-	" 876	
10	One Tracer		30		" 360	
11	One Daftary		20		" 240	
12	Inferior servants five including one Naik at Rs.17/- and others @ Rs.14/- a month.		73		" 876	The number is exclusive of the two peons newly sanctioned for the Divisional office, Dharwar, who will be transferred to the new office.
					Rs. 8,424	
	Deduct cost of extra cost that will be required for the Divisional office, Dharwar, in case new executive charge is not opened.				" 3,808	
					-R. 4,616	Total (b)Pay of Establishment.
13	Permanent Travelling allowance of the Executive Engineer @ Rs.150/-		150		" 1,800	
14	Ordinary Travelling allowance for office establishment.				" 550	
	Dearness allowance				" 1,250	
					Rs. 3,600	Total (c)Allowances.
					" 1,500	Contingencies
				Total	Rs. 9,716 or say Rs. 9,700	

Statement showing the annual expenditure on works and repairs incurred during 1940-41 to 1942-43 in Dharwar and Hubli B and R Sub-Divisions of Dharwar Division.

S. No.	Name of Sub-Division.	Expenditure during the year.			Remarks.
		1940-41	1941-42	1942-43.	
1	Dharwar	1,09,000	1,83,500	1,45,000	These are approximate figures worked out from the Progress Reports of respective Sub-Division.
2	Hubli B & R	1,35,000	1,93,500	2,11,600	

Executive Engineer, D.Dn.
13/4/44

L E T T E R.

From

L. E. Greening, Esquire, I.S.E.,
Superintending-Engineer, S.C.

To

The Secretary to Government,
Public Works Department,
B O M B A Y.

No.G-108. Public Works Department,
Belgaum, 10th February 1944.

Subject:-Re-opening of the Dharwar Irrigation Division.

Reference: Government Letter No.6640/36-E, dated the 22nd November 1943.

2. From the list of Emergency Irrigation Works in the Southern Circle accompanying Government Letter No.5841/36-I dated the 7th December 1943, it will be seen that all the four works proposed in the Gadag Taluka in the Dharwar Division have been dropped.

3. In the circumstances it is not therefore necessary to establish a new Sub-Division at Gadag as originally proposed

4. There thus remains two works namely:-

	Original estimated cost.
(a)Tank at Arwatgi	(Rs. 58,000/-)
and	
(b)Storage Reservoir at the Dharma Canal	(" 5,67,276/-)

which have been selected by Government for execution.

5. Again, if the recommendation made in this office letter No.M.I.1/1? dated the 3rd February 1944, namely, to drop the construction of the Storage Reservoir for the Dharma Canal, is accepted by Government, then the creation of a Sub-Division for this specific purpose will not be necessary.

6. Conversely, if the recommendation is not accepted by Government, then an additional Sub-Division will be required thus raising the number of Sub-Divisions from 6 to 7, in which case the necessity of re-opening the Dharwar Irrigation Division, will, it is submitted, have been fully established.

7. It will thus be seen that the circumstances have changed since the proposals originally made in this office letter No.G-108, dated the 6th October 1943, were submitted.

8. In the event of such re-opening, it is proposed that the two Divisions thus formed should be constituted as follows:-

(a)Dharwar Division.

Dharwar Sub-Division
Hubli (R & B) Sub-Division } all existing
Haveri (R & B) Sub-Division

(b)Dharwar Irrigation Division.

Hubli Irrigation Sub-Division (existing)
Haveri Irrigation Sub-Division (existing)

Village Water Supply Sub-Division, Ranebennur, recently re-opened, and

Dharma Reservoir Sub-Division.

If and when it is possible to open the proposed village Water Supply Sub-Division at Haliyal, it would come within the jurisdiction of the Dharwar Division, in order to equalize the number of Sub-Divisions in each Division.

9. Reverting, however, to the Government Letter under reply, a plan illustrating the proposals originally made in this office letter referred to above is forwarded herewith. It shows (a)the old Dharwar and Dharwar Irrigation Divisions as they existed before the Dharwar Irrigation Division was abolished in 1930 (b) the present Dharwar Division and (c)the Dharwar Division and Dharwar Irrigation Division as would result if the proposed Dharwar Irrigation Division is opened. fo-11 × Put up below

10. In view of the impossibility of securing technical personnel it has not been possible to open the Village Water Supply Sub-Division at Haliyal.

11. A statement of the total annual expenditure on works and repairs incurred during the last three years in each of the two Sub-Divisions viz. Dharwar and Hubli (Roads and Buildings) is enclosed. As explained in para 2 above there are now no Emergency Irrigation Works in the Hubli (Roads and Buildings) Sub-Division whilst it is thought that the work of constructing the Arwatgi tank can be entrusted to the Sub-Divisional Officer, Dharwar Sub-Division. fo-29

12. A modified statement in cancellation of the one previously submitted is forwarded herewith showing therein the Permanent Travelling Allowance of the Executive Engineer at a monthly rate of Rs. 150/- instead of Rs.75/- as incorrectly calculated, plus the amounts required for Dearness Allowance and Contingencies. ff. 27-28

Accompts:-
One plan.
Two statements.

L. C. Greening 10.2.44.
Superintending Engineer, S.C.

Through:-
The Commissioner, S.D., Belgaum, with compliment

2. A copy of this office letter No.G-108, dated the 6th October 1943 previously addressed to Government in the matter is attached hereto for information.

****

Advance copy submitted to Government with reference to Government telegram dated the 2nd February 1944.

****

No.I.R.R.387.
Office of the Commissioner, S.D.
Belgaum, 17th February 1944.

Submitted with concurrence.

Commissioner, S.D.

Public Works Department.

N.

9L.14/2
EB 23.

PUBLIC WORKS DEPARTMENT
File No. 6640/26
21. FEB. 1944
Serial No. 5268

EB
21-2-44

35 6640/36

P.W.Deptt.

Reopening of the Dharwar Irrign.Dn.

E.B.

5.11 Submitted with reference to the G.L of the 22-11-43. The case has already been fully noted upon at pp.7-10 ante.

2. It was previously proposed to open a new sub-dn. called the Gadag Irrign.Works Sub-dn.with head quarters at Gadag for carrying out six emergency irrign.works estimated to cost Rs 7.94 lakhs. Five of the works have since been dropped and only one work estimated to cost Rs 58,000 is to be carried out. The proposal to open the Sub-dn.has therefore been dropped by the S.E This has also affected the proposal to reopen the Dharwar Irrign.Dn.as stated by the S.E

3. There is a proposal which is under separate consideration) to undertake the project estimated to cost Rs 5.67 lakhs for a storage reservoir for the Dharma Canal but the S.E. has recommended the project being dropped. If, however, it is decided by Govt. to carry out the project, a new Sub-dn. will be necy.for its execution and it will then be necy.to reopen the Dharwar Irrign.Dn.as stated by the S.E. The present six Sub-dns. of the Dharwar Dn. and the new Sub-dn., to be opened will then be distributed as follows:-

Dharwar Dn.
Dharwar Sub-dn.
Hubli (Roads and Bldgs.) Sub-dn.
Haveri (Roads and Bldgs.) Sub-dn.

Dharwar Irrign.Dn.
Hubli (Irrign.) Sub-dn. - Tempy.
Haveri (Irrign.)Sub-dn.
Ranebennur V.W.S.Sub-dn.- Tempy.
Dharma Reservoir Sub-dn.- To be opened if the project is undgrtaken.

In the circumstances, it appears unnecessary to pursue this case further at this stage until it is decided by Govt. to undertake the Dharma. Rerservoir Project. In this connection, A(R)'s note dated the 10-2-44 in file 6704/34 re: the splitting of the Nira Canals Dn.into two is reproduced below for information:-

"There seems to be a strong case but I should like it to be considered whether we cannot wait a few months until we take up the whole question of Post War Projects with its implications of extra staff and possible bifurcation of districts."

BKR
25/2

Thro J.B.

25-2-44 JB File 1834/36 dealing with the Dharma Reservoir Project is submitted separately through the S.E.(9).

SMJ 25-2-44 Case to be taken up, if necessary after 2 or 3 months.

13/3/44

yes, the proposal may be taken up, when the Dharma Reservoir project is sanctd by Govt.

GD
29/3/44.

GKC.
29/4/44.

The SB will pl state whether the Dharma Irrgn project has been sanctioned.

RLJ
25/8/44

SB
28.8.44

SB
The Dharma Reservoir Project has been returned to the S.E. & C. for further investigations in connection with Waste Weirs & their channels vide G.L. No 1834/369, & 29-3-44. The S.E.'s report re: further investigations is awaited

SWJ
26.9.44. To EB

EB(1).
The SB will pl state whether the Dharma Irrgn project has since been sanctioned by Govt.

26/8/44

RLJ
15/8/44

SB
The Dharma Reservoir Project has been abandoned as an Emergency Irrign Work. The S.E. has, however, been asked to investigate further the possibilities of securing a better site for storage for the Dharma canal and submit proposals to Govt in due course. vide G.L. No 1834/369, & 16.8.44.

To SB
15.8.44

SWJ
15.9.44. To EB.

Copy

Letter.

No.1834/36-I. P.W.D., B.C., 16th Aug.1944.

To

The S.E.,S.C.

Subject:- Emergency Irrign.Schemes, Dharwar Dn.: Dharma Reservoir Project.

Ref: Your letter No.M.I.1., dated the 19-7-44.

2. As a result of the investigations made in con. with the above project, Govt. has decided to abandon the scheme as an Emergency Irrign. work. You are however requested to investigate further the possibilities of securing a better site for storage for the Dharma Canal and submit the proposals to Govt. in due course. You are also requested to suggest, very urgently, in consultation with the Commr.,S.D., other works to take place of this project in the Emergency Irrign.Schemes.

3. The plans and estimate are returned herewith.

By order etc.

D.A.-Ps.& E.

Copy forwarded to the R.D. & the Commr., S.D., for information.

(E-B I)

Submitted with ref. to the Secys' notes at pp. 35-36 ante.

p-37

2. In view of G.L. No 1834/36-I, dated the 16-8-44, orders are requested whether the question of reopening the Dharwar Irgn Dn., may be provided with indefinitely or whether a further communication may be awaited from the S.E.S.C., with ref to the G.L. overleaf

(Secy (P.W.D.) B)

S.A.J.
18-9-44. -93

3. The S.E. S.C. has since submitted his report with reference to G.L. No 1834/369, p37 of the 16th August 1944. In his report, the S E

Secy (I)

Secy (P.W.D.)

S.E. states that certain minor irrign works in the Dharwar Dn to take the place of the Dharma Reservoir Project as Emergency Irrign works, were considered viz

(i) Irrign tank at Harogeri, Taluka Gadag, estimated to cost Rs 39,875-
(ii) Irrign tank at Shirol " Taluka Gadag, estimated to cost Rs 2,80,500
(iii) Irrign tank at Sirur " Taluka Gadag, estimated to cost Rs 2,93,719

But these works were not found feasible due to -

(a) Excessive high rates as well as the time limit of 2½ to 3 years demanded by the Contractors.
(b) Paucity of Contractors in the area
(c) Acute labour difficulties.
(d) Lack of proper transport facilities

There being no alternative, the S.E. has proposed two irrign tank works in the Belgaum Dn to be taken up as emergency irrign works. The question of taking up these two tank works is being considered separately in consultation with the R.D.

4. It will thus be seen that no further works are

6640/36

40

are to be taken up in the Dharwar Dn as emergency 2
irrign. works.

SNG
11.10.64.

Matter part of agn. by Chf. Sk. Sp.
in different lens, the question of splitting
the Dharwar Drought Manl. Otherwise, to be
dropped for the present.

12/10/64

Alley (RTB).

Ylel.
13/10/64.

LB 6/pl see
& return
Dlej
16/10/64

Seen ml
SNG
16/10/64

L E T T E R.

From

N. B. Gadre, Esquire, I.S.E.,
Superintending Engineer, S.C.

To

The Secretary to Government,
Public Works Department,
B O M B A Y.

No.M.I.7. Public Works Department,
C.V. Belgaum, 11th May 1946.

Subject:-Minor Irrigation Works:
Repairs to the -.

Reference: Government Letter (P.W.D.)No.R.C.D. 164-I dated the 28th June 1945.

In this Circle, the number of Minor Irrigation Works other than Irrigation wells and one-man-tanks, in each Collectorate is as given under:-

Name of Collectorate.	Number of Minor Irrigation Works
(i) Dharwar	2,226
(ii) Kanara	4,108
(iii) Belgaum	605
(iv) Bijapur	12
(v) Ratnagiri	6

2. These small irrigation tanks in the aggregate irrigate an area of more than 1,20,000 acres yielding nearly Rs. 4½ lakhs of Irrigation Revenue. These extend the benefits of flow irrigation in this part of the country which is often lacking in many major irrigation schemes. It is therefore very important to see that all the Minor Irrigation tanks receive regularly their due attention and proper upkeep.

3. As the management of these irrigation tanks is under the control of the Revenue Department and the timely execution of petty repairs is also the responsibility of that Department, it is invariably that Department or the irrigators concerned that have to bring the fact of any tanks requiring repairs to the notice of P.W.D. according to the system prevalent at present. This system has neither fulfilled the expectations of Government nor of the people concerned. Though the urgency of these tanks repairs has been realised, it has not been possible to maintain a good proportion of them in a satisfactory condition on account of the large number of tanks in existence, with many of them situated in rural areas difficult of access. The result is that no good and satisfactory progress is made on repairs to thousands of these tanks which are awaiting their turn for nearly half a century.

4. In view of the importance of these Minor Irrigation Works to the rural economy of the Province, Government

sanctioned in 1938-39 the policy to keep the existing Minor Irrigation Works in repairs and to ensure that every such work should come under regular review. But owing to the intervening war, no appreciable progress could be made in that direction. Now the war has ended, Sooner the programme of repairs to such tanks is systematically prepared and taken up, the better.

5. In order to satisfactorily implement the 'putsch' of 1938-39, it is necessary that special staff should be employed to review all these Minor Irrigation Works regularly and prepare plans and estimate for all repairs to them whether they are major or minor. It is desirable that minor or routine nature of repair works should be carried by the Revenue Department as at present, while all the other repair works requiring technical supervision should be executed by the P.W.D.

6. Once the 'putsch' of 1938-39 is revived in right earnest, there will be a very heavy rush of programme of repairs in the beginning as many tank repairs have waited their turn for good number of years. To begin with, a period of rotation of 15 years for the review of all Minor Irrigation Works may be necessary. Later on, this period may be reduced to 10 years.

7. The tanks in the Bijapur and Ratnagiri Districts being few, will not need any special establishment. Any work-charged establishment required for the execution of repairs could be employed if necessary by debit to the works.

The Minor Irrigation Works in the remaining three Districts will require the following Special Irrigation Sub-Divisions to be opened solely for reviewing these works regularly for their upkeep and maintenance:-

(i) Belgaum Division	...	1 additional Special Irrigation Sub-Division
(ii) Dharwar Division	...	2 additional Special Irrigation Sub-Dns.
		1 Irrigation Projects Sub-Division.
(iii) Kanara Division	...	2 additional Special Irrigation Sub-Dns.

The tanks in the Belgaum Division will have to be distributed suitably between the newly proposed Irrigation Sub-Divisions and the existing Belgaum Irrigation Sub-Division.

The two newly proposed Sub-Divisions in the Kanara Division will have to share the larger number of Minor Irrigation Works while a few will have to be looked after by the existing Sub-Divisions (Roads & Buildings)

There exist already in the Dharwar Division, two Irrigation Sub-Divisions and with the addition of 2 new Sub-Divisions and 1 Irrigation Projects Sub-Dn,

the Dharwar Division (Roads and Buildings) will be very heavy and this will require the opening of an entirely separate Division for irrigation. It is, therefore, recommended that Government may kindly be moved to reopen the defunct Dharwar Irrigation Division to take charge of 4 Irrigation Sub-Divisions and 1 Irrigation Projects Division. The necessity of a separate Irrigation Division at Dharwar has often been brought to the notice of Govern ment in the past.

8. The Collectors of the Districts concerned have generally agreed to the entertainment of additional staff mentioned in para 7 above.

Further, side by side, with the Minor Irrigation Works, these Irrigation Sub-Divisions could be entrusted conveniently with the Construction of Village Water Supply Well Works also which are proposed to be started soon as a part of Rural Development Work.

9. If Government is pleased to approve generally of the opening of Irrigation Sub-Divisions and the revival of the defunct Dharwar Irrigation Division, detailed proposals of actual staff requirements will be submitted to Government as soon as possible.

10. This has also reference to para 4 of this office U.O.No.M.I.1 dated the 13th April 1946.

11/5/46

V.M.T. Superintending Engineer,S.C.

Through:-

The Commissioner, Southern Division,Belgaum, w.cs., with reference to his No.I.R.R.402, dated the 14th January 1946.

******

Advance copy forwarded, with compliments, to the Secretary to Government, Public Works Department, Bombay.

******

No. I.R.R.-402.
Office of the Commissioner S.D.
Belgaum, 17th May 1946.

Submitted with concurrence.

Public Works Department. Commissioner S.D.

H.

6740/36
19363

E.B.(I). Public Works Deptt.

For carrying out repairs to the Minor Irrign.Works, the S.E.,S.C. proposes to open the defunct Dharwar Irrign Divn.and the following Irrign.Sub-divns:-

1. Spl.Irrign.Sub-divn.in the Belgaum Divn.
2. Spl.Irrign.Sub-divns (in the Dharwar
1. Irrign.Projects Sub-divn.) Division.
2. Spl.Irrign.Sub-divns. in the Kanara Divn.

It will not be possible to open the Divn.and the Sub-divns.mentioned above unless necessary staff is available. It may be mentioned that the splitting up of the Nira Canals and Khandesh Divns.has been held over partly due to the shortage of staff. Nominations for the posts of 5 Fx.Engrs.and 30 Dy.Engrs.have been received from the P.S.C. and the question of making apptts.to the seven posts is still under the consideration of Govt. It is accordingly for orders whether Govt's decision on the question of appointing additional estabt.may be awaited before the case is considered further.

MKP.
18/9/46.

22-6-46

Secy.(I)

Secy.(R&B)

until the Policy of the financial Ministry is fully declared, I do not think it would be wise to appoint any new hands. Such cases it seem necessary to take action in connection with other Tanks but the action to be taken depends upon the policy to be declared.

16/6/46

Secy(R&B)

Jayan
CKL
26/6/46

I.B.W.L see & return

49

Pr 111-45 to 45 Below Superintending Engineer, S.D. Belgaum's letter No. M.I.7 dated 11th May 1946.

No. I.R.R.-402.
Office of the Commissioner S.D.
Belgaum, 17th May 1946.

Submitted with concurrence.

Public Works Department.

Sd. V.S.Bhide,
Commissioner S.D.

Subject :- Minor Irrigation Works - Repairs to the --.

Letter.

To

The Secretary to Government
Public Works Department.

No. I.R.R.-402. Belgaum, 25th June 1946.

Reference letter No. M.I.7 dated 21st June 1946 addressed to Government in the Public Works Department by the Superintending Engineer S.C. and copy endorsed to me. The Superintending Engineer S.C.'s report No. M.I.7 dated 11th May 1946 on the subject noted above has already been submitted to Government under this office endorsement No. I.R.R.-402, dated 17th May 1946, a copy of which is enclosed.

Commissioner S.D.

Copy with compliments to the Superintending Engineer S.C.
Belgaum.

6740/36/24868

52

EB(I) P.W.D.

PR. see the notes recorded at p+7 ante.

Await.

9-7-46

S.M.B. 9/7/46

S.A.S

Await. 9/7/46

SB 28/6

P. W. D.

File No. ~~6740/36~~ 6640/36

Serial No. 24868

Mem. 28/6/46

EB(I) 7-6-46

Reconstruction Department,
18, Queen's Gardens,
Poona, 27th July 1946.

My dear Gadre,

The Deputy Speaker of the Legislative Assembly the Hon'ble Mr. Angadi, is very keenly interested in the economic development of the Karnatak. In this connection he recently called on the Hon'ble Minister for Finance and pressed for the execution of several irrigation schemes which he mentioned.

I have suggested to him that he might discuss these various schemes with you, and should he do so, I am directed to request that you would favour Government with your views as to the feasibility of these schemes and their economic implications.

I think Government is inclined to take a very liberal view of irrigation schemes and would apply the broadest criteria in determining whether a scheme is productive or not, and not the narrow criterion of a certain percentage return on the capital outlay.

If the schemes are too numerous for examination by your existing staff, will you kindly let me know what additional staff you would require. You are of course aware of the great dearth of experienced men and you will have to make the most you can of such officers and subordinates as you have and engage raw graduates and diplomates and train them up for

D. O. No.M.I.11/1.

Office of the Superintending Engineer,
Southern Circle,
Belgaum, 29th July 1946.

Dear Hammett

I enclose herewith a copy of D.O. letter dated the 27th July 1946 from Mr.Mascarenhas and my reply thereto for your information.

2. It will be a great help if my proposals for reopening the Dharwar Irrigation Division could be considered by Government at an early date.

Yours sincerely

29/7/46

To

R. H. Hammett, Esquire, C.I.E., I.S.E.,
Chief Engineer for Irrigation and
Secretary to Government, P.W.D. Bombay.

31/7/46

As far as I can judge this should have been addressed to Secy (R&B) in charge of establishment. I do not think it can be put up to Govt. on its own. Will do full programme of D.I. Div. after Govt. decision.

Secy (R&B)

31/7/46

5[illegible] 46



I agree with Lic (?).

I do not think we should open any more Divisions, either ordinary or PWR, until we know the full extent of PW policy and until we get sufficient staff to do so. Some of the Divisions opened in the past under PWR are not yet fully staffed.

Ytel.
21/7/46

E(L)6 (5)

HM. PWD.

2/8/46

SE/SE should be informed accordingly.

Ytel.
5/8/46

P. W. D
File No. 6640/36
Serial No. 30240

63(I)

7/8/46 6/8/46 Dno 6/8

6640/36
30240

D.O.No.6640/36-E(I)

Public Works Deptt. Secl.

B'Bay 9th Aug. 1946.

b 57

Dear ·

Reference your D.O. letter No.M.I.11/1, dated the 29-7-46, addressed to Mr.R.H.Hammett, C.I.E.,I.S.E., Chief Engr. and Secy.to Govt.,P.W.D.(Irrign.), regarding the re-opening of the Dharwar Irrign.Divn.

Your proposal for the re-opening of the Dharwar Irrign.Divn.cannot, it is regretted, be considered at present

BB 5.8.46

Yours

N.B.Gadre, Esq., ~~I.S.E.~~ B.E., M.I.E.(Ind.), ~~B.E.~~, I.S.E.
Supdg.Engr.,Southern Circle,
Belgaum.

Secy.(R+I)

C/Engr.
9/8/46

MKP.
8/8/46.

Issued
12/8/46

6640/36
30240

E.B.(I). Public Works Deptt.

Resubmitted.

2. According to Instruction 2(t) of G.S's Circular No.12, dated the 10-5-37, all proposals involving the creation or abolition of any gazetted post whether tempy.or permanent the maximum pay of which is not less than Rs.250 p.m. are to be submitted to H.E. after consideration by the H.M. in charge and before the issue of orders. As, however, in the present case we are informing the S.E.,S.C. that his proposal for the reopening of the Dharwar Irrign.Divn.cannot be considered at present it is presumed that ~~for consideration whether~~ the case need not be submitted to H.E.

MAT.
9/8/46.

9-8-46

Secy.(R&I) 7-Bill 1-1-47 C/Kel. Jaipur 9/8/46. (1537)

A.S. 13/8/46